

SIGNAGE COMPENDIUM

THE

VDNEY'S ANNUAL WEDDING

1

Showgroun

ENVIRONMEN

RS SHC



SIGNAGE COMPENDIUM

Contents

DOME	3
External	
EXHIBITION HALLS	8
External Internal	
North Pod	
South Pod	
Halls 5 & 6	
CHARLES MOSES STADIUM	19
External	
Internal	
PAVILIONS	22
Downes	
Falkiner Grace	
Mackay	
Munro	
Murchison	
Paddington Howie	
<u>STADIUM</u>	27
External	-
Scoreboard Stadium Ticket box	31 32
Internal	-
Vom 3 Tunnel	36
Sydney Royal Stand Foyers	38
Skydeck Charley Room	39
Change Room 1	40 43
Change Room 2	44
PRECINCT	47
External	
DIGITAL SIGNAGE	51

SIGNAGE REQUIREMENTS	64



DOME





SIGNAGE COMPENDIUM DOME

EXTERNAL Dome Entrance Foyer



LARGE BANNER				
MATERIAL	WIDTH	HEIGHT	QTY	
PVC	12400mm 5150mm 1		1	
SMALL BANNER				
MATERIAL	WIDTH	HEIGHT	QTY	
PVC	7500mm	4500mm	1	

INSTALLATION: Catenary Wire installation. Refer to rigging company for engineering.

EXTERNAL Wall Banner



WALL BANNER			
MATERIAL	PVC		
WIDTH	5070mm		
HEIGHT	3550mm		
QTY	6		

INSTALLATION: Top: Eyelets Bottom: Rope edge



SIGNAGE COMPENDIUM DOME

EXTERNAL Dome Entrance Foyer



WINDOW DECALS			
MATERIAL	Decal		
WIDTH	1 - 6 – 2130mm		
HEIGHT	1, 4 – 1080mm 2, 3 – 1130mm 5 – 1110mm 6 – 1490mm		



SIGNAGE COMPENDIUM DOME

EXTERNAL Dome Entrance Foyer

					-	1		
3	3 3	3 3	3	3	3 3	3	3	4
* 2 			2	2				5
1								6

WINDOW DECALS			
MATERIAL	Decal		
WIDTH	1, 2, 3 – 1050mm 4, 5, 6 – 650mm		
HEIGHT	1, 6 – 1110mm 2, 5 – 1140mm 3, 4 – 650mm		



SIGNAGE COMPENDIUM DOME

EXTERNAL Dome Ticket Box

1	2

WINDOW DECALS			
MATERIAL	Decal		
WIDTH	1 – 1825mm 2 – 1760mm 3 – 420mm 4 – 540mm 5 – 485mm		
HEIGHT	1, 2 – 1140mm 3 – 425mm 4, 5 – 1020mm		



EXHIBITION HALLS





SIGNAGE COMPENDIUM EXHIBITION HALLS

EXTERNAL Dome Entrance Foyer



SPECIFICATIONS			
MATERIAL	PVC		
WIDTH	9630mm		
HEIGHT	3600mm		
QTY	2 (per hall)		

INSTALLATION: All sides: Eyelets

EXTERNAL External Foyer Wall



SPECIFICATIONS			
MATERIAL	PVC		
WIDTH	2300mm		
HEIGHT	2300mm		
QTY	2 (per hall)		



SIGNAGE COMPENDIUM EXHIBITION HALLS

EXTERNAL Side Triangle



SPECIFICATIONS						
MATERIAL	SIDE 1	SIDE 2	SIDE 3	QTY		
PVC	12150mm	10030mm	6750mm	2 (per hall)		
SQUARED OFF CORNERS						
SIDE 1-2	SIDE	1-3	QTY			
120mm (V	V) 250mr	m (W)	2			

INSTALLATION: All sides: PVC Banner, Eyelets All Sides

EXTERNAL Side Triangle



SPECIFICATIONS	
MATERIAL	PVC
SIDE 1	8100mm
SIDE 2	8100mm
SIDE 3	4000mm
QTY	2 (per hall)

INSTALLATION: All sides: Eyelets



SIGNAGE COMPENDIUM EXHIBITION HALLS

INTERNAL Internal Pod Signage (Hall 2 - 4)



NORTH PODS LEVEL 2 INTERNAL WINDOWS LHS & RHS	
TOP HALF	W 1650 x H 950mm
BOTTOM HALF	W 1650 x H 1130mm
MATERIAL	Banner/Corflute/Decal

INTERNAL North Pod – Level 2 Front Window



NORTH POD LEVEL 2 FRONT WINDOW	
TOP HALF	W 2200 x H 1100mm
BOTTOM HALF	W 2200 x H 1100mm
MATERIAL	Banner/Corflute/Decal



SIGNAGE COMPENDIUM EXHIBITION HALLS

INTERNAL North Pod Foyer



DOORS X 2		
WIDTH	4800mm	
HEIGHT	560mm	
SIDE OF WALL FOYER		

WIDTH	2400mm
HEIGHT	1200mm

INTERNAL South Pods – Level 2



SOUTH PODS LEVEL 2 INTERNAL WINDOWS LHS & RHS	
TOP HALF	W 1650 x H 950mm
BOTTOM HALF	W 1650 x H 1130mm
MATERIAL	Banner/Corflute/Decal



SIGNAGE COMPENDIUM EXHIBITION HALLS

INTERNAL South Pod – Level 2 Front Window



SOUTH POD LEVEL 2 FRONT WINDOW	
TOP HALF	W 2200 x H 1100mm
BOTTOM HALF	W 2200 x H 1100mm
MATERIAL	Banner/Corflute/Decal



SIGNAGE COMPENDIUM EXHIBITION HALLS

EXTERNAL Hall 5A Main Entry Foyer – Right Hand Side



HALL 5A MAIN ENTRY FOYER RIGHT HAND SIDE	
DIMENSIONS	W 20070 x H 1300mm
MATERIAL	PVC Track Mounted

INSTALLATION: Sail track on top deck and eyelets on the bottom.

LOCATION: Corner of Grand Pde & Showground Rd existing Southee Complex Entry point

EXTERNAL Hall 5A Main Entry Foyer – Left Hand Side



HALL 5A MAIN ENTRY FOYER LEFT HAND SIDE	
DIMENSIONS	W 15500 x H 1300mm
MATERIAL	PVC Track Mounted

INSTALLATION: Sail track on top deck and eyelets on the bottom.

LOCATION: Corner of Grand Pde & Showground Rd existing Southee Complex Entry point



SIGNAGE COMPENDIUM EXHIBITION HALLS

EXTERNAL Hall 5A Main Entry Foyer - Doors



HALL 5A MAIN ENTRY FOYER DOORS	
DIMENSIONS	A - W 240 x H 3100mm B - W 2070 x H 450mm C - W 910 x H 2470mm
MATERIAL	Decal

EXTERNAL Hall 5A Function Room 3 Entry



HALL 5A FUNCTION ROOM 3 ENTRY SHOWGROUND RD	
DIMENSIONS	5820 X 4000 x 2100mm
MATERIAL	PVC Corner Eyelets

LOCATION: Showground Rd – Outside Southee 3



SIGNAGE COMPENDIUM EXHIBITION HALLS

EXTERNAL Halls 5 & 6 – Riverina Ave



W 1160 x 2650mm

Showg	SYDNEY FOUND Sydney Olympic Park

Halls 5 & 6 – Window Banners

HALLS 5 & 6 – RIVERINA AVE ENTRY DOORS	
DIMENSIONS	W 7340 x 2735mm
MATERIAL	Fabric Stretch, with silicon edge Existing frame is in place

LOCATION: Riverina Side of Halls 5 & 6 (Above Entry Doors)

Decals

HALLS 5 & 6 – RIVERINA AVE

ENTRY DOORS

DIMENSIONS

MATERIAL



SIGNAGE COMPENDIUM EXHIBITION HALLS

EXTERNAL Halls 5 & 6 – Riverina Ave



HALLS 5 & 6 – RIVERINA AVE BANNER LOCATION

DIMENSIONS	W 4800 x H 9000mm Top Width 4000mm
MATERIAL	PVC / Mesh Banner with eyelets

LOCATION: Riverina Side of Halls 5 & 6 (2 Banner Points)

INTERNAL Halls 5A Foyer



HALLS 5A Foyer SIDE WALLS OF FOYER	
DIMENSIONS	H 2500 X H 6000 (to 3phase outlet)
MATERIAL	PVC Banner

LOCATION: Entry way of Hall 5A Foyer



SIGNAGE COMPENDIUM EXHIBITION HALLS

INTERNAL Hall 5A Foyer



HALL 5A FOYER ABOVE ENTRY DOORS TO HALL 5A	
DIMENSIONS	H 720 X W 4100
MATERIAL	3mm Corflute

LOCATION: Above entry doors in Hall 5A foyer entering Hall 5A

INTERNAL Halls 5 & 6 – Rigging Opportunities



HALLS 5 & 6 – RIVERINA AVE 2 BANNER POINTS

Custom Rigging Internal

Example only

LOCATION: Custom Rigging Internal – Example only



CHARLES MOSES STADIUM



SIGNAGE COMPENDIUM CHARLES MOSES STADIUM

EXTERNAL Charles Moses Entry Square



SPECIFICATIONS	
MATERIAL	PVC
WIDTH	2200mm
HEIGHT	2200mm
QTY	1

INSTALLATION: All sides: Eyelets

EXTERNAL Charles Moses Entry Banner



SPECIFICATIONS	
MATERIAL	PVC
WIDTH	6600mm
HEIGHT	2000mm
QTY	1


2025 Version 1.0



SIGNAGE COMPENDIUM CHARLES MOSES STADIUM

INSTALLATION: All sides: Eyelets

INTERNAL Gantry Signage



Gantry Signage Internal LHS



Gantry Signage Internal LHS



SITES	
SITE 1	2.53m x 1.8m
SITE 2	2.44m x 1.8m
SITE 3	3.87m x 1.8m
SITE 4	3.87m x 1.8m
SITE 5	3.83m x 1.8m
SITE 6	3.8m x 1.8m
SITE 7	3.85m x 1.8m
SITE 8	3.95m x 1.8m
SITE 9	3.86m x 1.8m
SITE 10	3.86m x 1.8m
SITE 11	4.95m x 1.8m
SITE 12	5.6m x 1.8m
SITE 13	5.77m x 1.8m
SITE 14	5.9m x 1.8m
SITE 15	6.01m x 1.8m
SITE 16	6.01m x 1.8m
SITE 17	5.95m x 1.8m
SITE 18	6.0m x 1.8m
SITE 19	5.98m x 1.8m
SITE 20	5.94m x 1.8m
SITE 21	4.96m x 1.8m
SITE 22	3.91m x 1.8m
SITE 23	3.81m x 1.8m
SITE 24	3.92m x 1.8m
SITE 25	3.81m x 1.8m
SITE 26	3.9m x 1.8m
SITE 27	3.86m x 1.8m
SITE 28	3.81m x 1.8m
SITE 29	3.87m x 1.8m
SITE 30	2.51m x 1.8m
SITE 31	2.48m x 1.8m









SIGNAGE COMPENDIUM PAVILIONS

EXTERNAL Downes Pavilion



SPECIFICATIONS	
MATERIAL	PVC
WIDTH	6600mm
HEIGHT	2000mm
QTY	3

EXTERNAL Falkiner Pavilion



SPECIFICATIONS	
MATERIAL	PVC
WIDTH	6600mm
HEIGHT	2000mm
QTY	2

INSTALLATION: All sides: Eyelets





SIGNAGE COMPENDIUM PAVILIONS

EXTERNAL Grace Pavilion



SPECIFICATIONS	
MATERIAL	PVC
WIDTH	6600mm
HEIGHT	2000mm
QTY	1

INSTALLATION: All sides: Eyelets

EXTERNAL Mackay Pavilion



SPECIFICATIONS	
MATERIAL	PVC
WIDTH	6600mm
HEIGHT	2000mm
QTY	1

INSTALLATION: All sides: Eyelets



SIGNAGE COMPENDIUM PAVILIONS

EXTERNAL Munro Pavilion



SPECIFICATIONS	
MATERIAL	PVC
WIDTH	6600mm
HEIGHT	2000mm
QTY	3

EXTERNAL Murchison Pavilion



SPECIFICATIONS	
	PVC
WIDTH	6600mm
HEIGHT	2000mm
QTY	4

INSTALLATION: All sides: Rope edge





SIGNAGE COMPENDIUM PAVILIONS

EXTERNAL Paddington Pavilion



SPECIFICATIONS	
MATERIAL	PVC
WIDTH	6600mm
HEIGHT	2000mm
QTY	1

INSTALLATION: All sides: Eyelets

EXTERNAL Howie Pavilion



SPECIFICATIONS	
MATERIAL	PVC
WIDTH	2200mm
HEIGHT	2000mm
QTY	2

INSTALLATION: All sides: Eyelets



STADIUM





SIGNAGE COMPENDIUM STADIUM

EXTERNAL Presidents Plaza – Entrance Canopy



SPECIFICATIONS	
MATERIAL	Breeze cloth banner or PVC Banner, keddar edge
WIDEST	8.75m
NARROWEST	3m
PERPENDICULAR	5m

INSTALLATION: Tracking & eyelets

EXTERNAL Council/Vincent & Fairfax Stands



SPECIFICATIONS	
MATERIAL	Breeze cloth banner
WIDTH	10m
HEIGHT	3.1m

INSTALLATION: Webbing & eyelets



SIGNAGE COMPENDIUM STADIUM

EXTERNAL Upper Rafter Banner – Sinclair Stand



SPECIFICATIONS	
MATERIAL	Breeze cloth banner
WIDTH	10m
HEIGHT	3.1m

INSTALLATION: Webbing & eyelets

EXTERNAL

Martin & Angus Stand – Upper Rafter Banner



SPECIFICATIONS	
MATERIAL	Breeze cloth banner
WIDTH	10m
HEIGHT	3.2m

INSTALLATION: Webbing & eyelets



SIGNAGE COMPENDIUM STADIUM

EXTERNAL Martin & Angus Stand – Upper Rectangle. Gate B



SPECIFICATIONS	
MATERIAL	PVC banner
WIDTH	6m
HEIGHT	3m

INSTALLATION: Rope edge

EXTERNAL

Members Stand – Upper Rafter Banner




SPECIFICATIONS	
MATERIAL	Breeze cloth banner
WIDTH	10m
HEIGHT	3.1m


INSTALLATION: Webbing & eyelets



SIGNAGE COMPENDIUM STADIUM

SCORE BOARD EXTERNAL Side Panels






SPECIFICATIONS OVERALL DIMENSIONS	
MATERIAL	Decal or similar
WIDTH	3.865m
HEIGHT	1.140m

INTERNAL Bottom Panel





SPECIFICATIONS CENTRE		
WIDTH	2.03m	
HEIGHT	1.615m	
LEFT HAND SIDE		
	11 E4m	

RIGHT HAND SIDE		
HEIGHT	3.75m	
WIDTH	11.54m	

WIDTH	11.3m
HEIGHT	3.755m
DOOR	
WIDTH	0.66m

2m

HEIGHT



SIGNAGE COMPENDIUM STADIUM

STADIUM TICKET BOX

EXTERNAL Window panels – top row only



	- Aline	La sta	÷.	
7	- 15		-	-

SPECIFICATIONS PANEL DIMENSIONS	
MATERIAL	Decal
WIDTH	700mm
HEIGHT	510mm





SIGNAGE COMPENDIUM STADIUM

INTERNAL Stadium Internal Fence



SPECIFICATIONS	
MATERIAL	Corflute
LENGTH	12m
HEIGHT	1.05m

NOTE: Signage can be in place with or without temporary seating.

INTERNAL Members Stand – Upper/Tier Rectangle Banner



SPECIFICATIONS LEFT HAND SIDE	
MATERIAL	Corflute
LENGTH	20.6m
HEIGHT	0.58m

SPECIFICATIONS RIGHT HAND SIDE

MATERIAL	Corflute
LENGTH	20.5m
HEIGHT	0.58m



SIGNAGE COMPENDIUM STADIUM

INTERNAL Sinclair Stand – Upper/Tier Rectangle Banner



SPECIFICATIONS LEFT HAND SIDE	
MATERIAL	Corflute
LENGTH	20.65m
HEIGHT	0.58m

SPECIFICATIONS RIGHT HAND SIDE	
MATERIAL	Corflute
LENGTH	20.45m
HEIGHT	0.58m

INTERNAL Suttor Stand – Upper/Tier Rectangle Banner



SPECIFICATIONS LEFT HAND SIDE	
MATERIAL	Corflute
LENGTH	29.3m
HEIGHT	0.58m

SPECIFICATIONS RIGHT HAND SIDE		
MATERIAL	Corflute	
LENGTH	18.5m	
HEIGHT	0.58m	



SIGNAGE COMPENDIUM STADIUM

INTERNAL Vincent Fairfax Stand – Rectangle Banner



SPECIFICATIONS LEFT HAND SIDE	
MATERIAL	Corflute
LENGTH	21.5m
HEIGHT	0.58m

SPECIFICATIONS RIGHT HAND SIDE	
MATERIAL	Corflute
LENGTH	21.55m
HEIGHT	0.58m

INTERNAL

Martin & Angus Stand – Rectangle Banner




SPECIFICATIONS LEFT HAND SIDE	
MATERIAL	Corflute
LENGTH	46.5m
HEIGHT	0.58m

SPECIFICATIONS RIGHT HAND SIDE		
MATERIAL	Corflute	
LENGTH	47.2m	
HEIGHT	0.58m	



SIGNAGE COMPENDIUM STADIUM

INTERNAL Sydney Royal Stand – Rectangle Banner



SPECIFICATIONS	
MATERIAL	Corflute
LENGTH	45m
HEIGHT	0.7m

VOM 3 TUNNEL SIGNAGE INTERNAL Overhead Signage



SPECIFICATIONS KEDDAR BANNER DIMENSIONS	
MATERIAL	PVC Banner, Keddar Edge
WIDTH	9.08m
HEIGHT	4.93m



SIGNAGE COMPENDIUM STADIUM

VOM 3 TUNNEL SIGNAGE

INTERNAL Wall Banner



SPECIFICATIO	
MATERIAL	PVC Banner, Keddar Edge
SIDE A	1.58m
SIDE B	7.13m
SIDE C	4.09m

INTERNAL Wall Banner



SPECIFICATION	
MATERIAL	PVC Banner, Keddar Edge
SIDE A	6m
SIDE B	2.13m
SIDE C	2.26m



SIGNAGE COMPENDIUM STADIUM

SYDNEY ROYAL STAND FOYERS

INTERNAL

Banners





SPECIFICATION	NS
WIDTH	3m
SPECIFICATION BANNER DIMENS	
MATERIAL	PVC Banner
WIDTH	1.2m
HEIGHT	2.4m



SIGNAGE COMPENDIUM STADIUM

SKYDECK EXTERNAL Left Return



SPECIFICATIO	NS
MATERIAL	3.5mm Di Bond Panel
WIDTH	3.375m
HEIGHT	0.602m

EXTERNAL Left Return




SPECIFICATION	NS
MATERIAL	3.5mm Di Bond Panel
WIDTH	10.820m
HEIGHT	0.602m



SIGNAGE COMPENDIUM STADIUM

SKYDECK EXTERNAL Right Return



SPECIFICATIO	NS
MATERIAL	3.5mm Di Bond Panel
WIDTH	3.280m
HEIGHT	0.602m



SIGNAGE COMPENDIUM STADIUM

CHARLEY ROOM

Second Privacy Screen



INTERNAL Bathroom Banners



SPECIFICATION	
WIDTH	2.4m
HEIGHT	2.55m

SPECIFICATION BANNER DIMENS	
MATERIAL	PVC Banner
WIDTH	1.13m
HEIGHT	2.4m

SPECIFICATION	-
WIDTH	5.75m
HEIGHT	2.34m

SPECIFICATIONS BANNER DIMENSIONS

MATERIAL	PVC Banner
WIDTH	0.93m
HEIGHT	2.28m



SIGNAGE COMPENDIUM STADIUM

CHARLEY ROOM INTERNAL

Hanging Panels



NS
2.4m
NS DNS
PVC Banner
1.2m
0.8m



SIGNAGE COMPENDIUM STADIUM

CHANGE ROOM 1 INTERNAL

Hanging Panels



SPECIFICAT	
WIDTH	2m
SPECIFICAT	
BANNER DIMI	INSIONS







SIGNAGE COMPENDIUM STADIUM

CHANGE ROOM 2

INTERNAL Wall Banner - A



SPECIFICATIONS OVERALL DIMENSIONS

MATERIAL	Corflute
LENGTH	3.6m
HEIGHT	1.16m

INTERNAL Wall Banner - B



SPECIFICATIONS OVERALL DIMENSIONS

MATERIAL	Corflute
LENGTH	Top left 4.63m Top right 4.18m Bottom 9.39m
HEIGHT	Top 1.16m Bottom 1.19m

INTERNAL Wall Banner - C



SPECIFICATIONS OVERALL DIMENSIONS	
MATERIAL	Corflute
LENGTH	3.6m
HEIGHT	1.2m





SIGNAGE COMPENDIUM STADIUM

CHANGE ROOM 2

INTERNAL Wall Banner - D



SPECIFICATIONS OVERALL DIMENSIONS

MATERIAL	Corflute
LENGTH	3.75m
HEIGHT	1.16m

INTERNAL Wall Banner - E




SPECIFICATIONS OVERALL DIMENSIONS

MATERIAL	Corflute
LENGTH	Top 9.7m Bottom 6.1m
HEIGHT	1.16m



SIGNAGE COMPENDIUM STADIUM

CHANGE ROOM 2





PRECINCT

2025 Version 1.0

EXTERNAL Blade

Shouground

Sydney Olympic Park



SPECIFICATIONS

MATERIAL	3mm corflute
OVERALL	H3500mm x W900mm
FRONT	1220 x 900mm x 2 panels
ВАСК	1220 x 900mm x 2 panels
QTY	15
PRICE	\$70.00 per sign

OPERATIONAL REGULATIONS

SIGNAGE COMPENDIUM PRECINCT

EXTERNAL Column – Medium Blade



SPECIFICATIONS		
MATERIAL	3mm corflute	
OVERALL	H2870mm x W600mm	
PANEL 1 SIZE	910 x 590mm x 2 panels	
PANEL 2 SIZE	910 x 590mm x 2 panels	
QTY	10	
PRICE	\$50.00 per sign	







SIGNAGE COMPENDIUM PRECINCT

EXTERNAL Showground Rd & Grand Parade Banners



SPECIFICATIONS	
MATERIAL	Woven Polyester (large/small)
SHOWGROUND	H5.3m x W0.94m
GRAND	H2.98m x W0.89m
PRICE	ΡΟΑ

Refer to SOPA Signage Guidelines for further information

EXTERNAL Two-window Ticket Booth



SPECIFICATIONS	
BETWEEN GLASS WINDOWS	H785mm x W450mm
ABOVE GLASS WINDOWS	H410mm x W1450mm



SIGNAGE COMPENDIUM PRECINCT

MAP Flag pole locations










Extend Your Brand at your next Sydney Showground event

Sydney Showground have two prime locations where there is opportunity to display digital event signage or event branding; the exterior of the Dome entrance, and the interior Dome foyer.

Exterior Dome Entrance 3mm Transparent LED

Interior Dome Foyer 2mm LED





Introducing Sydney Showground Digital Screens. What a great way to extend your brand during your expo, or a great addition to your sponsorship suite (you can on-sell the screens to your customers or provide them as a value add).

Screen Locations

- Dome Foyer side wall 100% of time
- Dome entry doors 100% of time
- Dome Foyer pillars 100% of time
- Dome Café screens 50% of time
- (eg 30 seconds in every minute or 3 x 10 second blocks)
- All other screens 10 seconds or 16%+ of time
- 20 screens in total across the Dome and Halls.

Speak to your Account Manager or Event Representative for more details on how our digital signage solution can add value to your event.

Costs:

\$500
\$500
\$350
\$500
\$1000

Dome Foyer Screen Package \$1000 (includes 4 pillar screens, side wall and interior LED screen)

All pricing is based per event.

Specifications – Dome Foyer & Cafes *Images*

Portrait – JPEG, 1080x1920, 72dpi, RGB Landscape – JPEG, 1920x1080, 72dpi, RGB

Animation Flash - .swf

Movie

Windows Media Video - .wmv Portrait 1080x1920, 25fps, 8000 bits Landscape 1920x1080, 25fps, 8000 bits

Screen Zoning

When screen zoning is required – multiple playlists or media files on each screen, the area of 1920x1080 or 1080x1920 can be divided to whatever is required.

The media files associated to those zones should be created in the same aspect ratio as the area zoned.

For example: If you have a landscape screen with two zones, split down the middle, the resolution of each zone would be 960x1080.



The Dome Digital Signage – Technical Specifications

Exterior Dome LED Entrance 3mm Pitch, Transparent LED



10 x Individual Panels

Individual panel pixel size - 504 W x 256 H Overall pixel size - 2520 W x 512 H Black/ dark gradient colours create the transparent effect eg. 100% black = 100% transparent

1	2	3	4	5
6	7	8	9	10

FILE	
VIDEO	.MP4 (H264) .AVI
STATIC	.JPEG .GIF .BMP .PNG

- Other file types may be possible, or may have to be converted to one of the above files types.
 Additional charges may be incurred.
- A sample file must be submitted 14 days before tenancy for testing purposes, and the final files 7 days before event commences.
- Should you not wish to utilise the Dome screens, Sydney Showground will display safety and venue messaging.



The Dome Digital Signage – Technical Specifications

Interior Dome LED Entrance

Overall pixel size - 3456 W x 384 H




FILE	
VIDEO	.MP4 (H264) .AVI
STATIC	.JPEG .GIF .BMP .PNG

- Other file types may be possible, or may have to be converted to one of the above files types. Additional charges may be incurred.
- A sample file must be submitted 14 days before tenancy for testing purposes, and the final files 7 days before event commences.
- Should you not wish to utilise the Dome screens, Sydney Showground will display safety and venue messaging.





Dome – Somerville & Pearson Screens





Dome – Somerville & Pearson Screens

Screen Locations

• Somerville & Pearson screens 100% of time, useful for presentations

Speak to your Account Manager or Event Representative for more details on how our digital signage solution can add value to your event.

Costs:

Somerville	\$200
Pearson	\$200

All pricing is based per event.

Specifications – Dome Foyer & Cafes *Images*

Landscape – JPEG, 1920x1080, 72dpi, RGB

Animation Flash - .swf

Movie Windows Media Video - .wmv Portrait 1080x1920, 25fps, 8000 bits Landscape 1920x1080, 25fps, 8000 bits

ClickShare Technology

As part of the new digital signage system we have included 'Clickshare' on a number of monitors that enables wireless presentation to be undertaken direct from a laptop.


Each relevant monitor has a dongle plugged into a base station connected to the monitor which can be removed from the base station and inserted directly into a laptop that has a USB C port. Simply wait for it to 'pair' and off you go.

Any dongles damaged or lost will incur a replacement fee.



Halls 2 – 4 Screens

North Pod 65inch TV





Halls 2 – 4 Screens

Screen Locations

- Hall Café screens 50% of time
- (eg 30 seconds in every minute or 3 x 10 second blocks)
- North & South Pods 100% of time, useful for presentations

Speak to your Account Manager or Event Representative for more details on how our digital signage solution can add value to your event.

Costs:

Pod screens	\$200
Hall Café Screens (3 per cafe)	\$500

All pricing is based per event.

Specifications – Dome Foyer & Cafes

Images Landscape – JPEG, 1920x1080, 72dpi, RGB

Animation Flash - .swf

Movie

Windows Media Video - .wmv Portrait 1080x1920, 25fps, 8000 bits Landscape 1920x1080, 25fps, 8000 bits

ClickShare Technology


As part of the new digital signage system we have included 'Clickshare' on a number of monitors that enables wireless presentation to be undertaken direct from a laptop.

Each relevant monitor has a dongle plugged into a base station connected to the monitor which can be removed from the base station and inserted directly into a laptop that has a USB C port. Simply wait for it to 'pair' and off you go.

Any dongles damaged or lost will incur a replacement fee.



Halls 5 & 6 Screens





Halls 5 & 6 Screens

Screen Locations

- Hall 5 Foyer 100% of time
- Hall 6 Café screens 50% of time
- (eg 30 seconds in every minute or 3 x 10 second blocks)
- Function Rooms 3 & 5 100% of time, useful for presentations

Speak to your Account Manager or Event Representative for more details on how our digital signage solution can add value to your event.

Costs:

Hall 5 Foyer screen	\$200
Function Room screens	\$200
Hall 6 Café Screen	\$250

All pricing is based per event.

Specifications – Dome Foyer & Cafes

Images Landscape – JPEG, 1920x1080, 72dpi, RGB

Animation Flash - .swf

Movie

Windows Media Video - .wmv Portrait 1080x1920, 25fps, 8000 bits Landscape 1920x1080, 25fps, 8000 bits

ClickShare Technology

As part of the new digital signage system we have included 'Clickshare' on a number of monitors that enables wireless presentation to be undertaken direct from a laptop.

Each relevant monitor has a dongle plugged into a base station connected to the monitor which can be removed from the base station and inserted directly into a laptop that has a USB C port. Simply wait for it to 'pair' and off you go.

Any dongles damaged or lost will incur a replacement fee.



Video

SIGNAGE COMPENDIUM DIGITAL SIGNAGE

Stadium Level 2 Parapet



VIDEO	
PIXEL DIMENSIONS	1040 x 72px 720 x 72px
ANIMATION DURATION	30 seconds
FRAMES PER SECOND	30 (FPS) Use the whole stage as there is no safe zone

We recommend using video versus static images. The movement/animation in video provides a higher impact and engagement with fans.



SIGNAGE REQUIREMENTS





SIGNAGE COMPENDIUM SIGNAGE REQUIREMENTS

Sydney Showground Minimum Requirements for Signage

- 1. Minimum Manufacturing Requirements The minimum manufacturing requirements are:
- I. Load:
- a. Top pocket or eyelets 14kg per lineal metre of the width plus the weight of banner.
- b. Bottom pocket 14kg per lineal metre of the width of the banner.
- II. Pockets to be hot air welded and stitched.
- III. Eyelets to be reinforced (webbing affixed).

Please ensure that all manufacturers undertaking Sydney Showground work through you are made aware of these minimum manufacturing requirements and provide a Quality Assurance Statement from the supplier/manufacture stating that any newly produced signage meets or exceeds the standards outlined within the minimum manufacturing requirements and therefore is fit for purpose.

2. Minimum Rigging and De-Rigging Requirements

Any banner requiring hanging at a height above 2.4m must be rigged by the Sydney Showground authorised rigger.

Sydney Showground has a large rigging capacity within the Exhibition Halls & Secondary Pavilions; detailed plans are available on request. Rigging plans must be submitted to the Sydney Showground to review two weeks prior to the licence period commencing.

Rigging within Sydney Showground's secondary pavilions must be signed off by a certified structural engineer.

3. Minimum Installation Requirements

At all times the presentation standards of the Sydney Showground along with best practise installation methods are to be upheld.

The Sydney Showground does not permit the sticking, posting, hanging or attaching of any signage, notices, banners or advertisements on ceilings, floors, walls, walkways, railings, fences or any property belonging to the Sydney Showground without prior written approval. Any fixing items used must not damage Sydney Showground property. The cost of repair due to damage sustained from the use of nonapproved fixing agents will be borne by the Signage Installation company. Any damage caused will be charged back to the licensee.

Should a sign be affixed to a temporary structure or frame, the structure or frame must abide by the New South Wales, State Legislative Requirements as set out in the "State Environmental Planning Policy (Temporary Structures and Places of Public Entertainment) Amendment (Temporary Structures)– 2009" and be signed off by a certified structural engineer supplied by the Contractor responsible for the installation of the sign. Upon approval, an engineer's certificate must be provided to the Sydney Showground Signage Coordinator.

Site Wide Signage

Sydney Showground will seek permission on the licensee's behalf for any signage placed outside the Sydney Showground site from the local authority. This includes signage or banners placed on any fenceline that faces a roadway.

Promotional Signage

Promotional signage may be displayed only within the licensee's immediate licensed area. Permission and approval of all promotional signage is required prior to being displayed. Signage on site takes into consideration ALL events that are operational at any one time. The decision on how signage space is allocated is at the discretion of Sydney Showground.



SIGNAGE COMPENDIUM SIGNAGE REQUIREMENTS

Naming

Naming Protocol

The correct naming of the venue is: Sydney Showground at Sydney Olympic Park

Sydney Showground is the venue and Sydney Olympic Park is the suburb. Under no circumstances are the words 'Homebush' or 'Homebush Bay' to be used on any print or digital signage or other marketing collateral including TV commercials and radio announcements.

Correct naming will ensure that your customers know exactly where to find the venue and your event. Use of incorrect suburb names can lead to confusion including customers getting off at the wrong train station or driving to the wrong suburb.

Please ensure final proof of signage is sent to your Event Planner prior to printing.





1 Showground Road, Sydney Olympic Park, NSW 2127 Australia Phone +61 2 9704 1157 Email sales@sydneyshowground.com.au www.sydneyshowground.com.au